

RECEIVED
CENTRAL FAX CENTER

SEP 14 2005

Fax



To:	Examiner Victor S. CHANG
Group Art Unit:	1771
Fax No.:	571-273-8300
Phone No.:	571-272-1474
Application No.:	10/327,328
Atty. Docket No.:	ARC3254R1/ALZ5033
From:	Lisa McDill for Philip S. Yip
Pages:	4, including cover
Date:	September 14, 2005

Enclosed, please find:

1. Response to Restriction Requirement mailed 08/22/2005 (3 pp.).

If there is an error with this transmission or if all referenced attachments are not received, please call the sender, Lisa McDill, 650-564-5808.

RECEIVED
CENTRAL FAX CENTER
SEP 14 2005

CERTIFICATE OF TRANSMISSION under 37 CFR § 1.8

I hereby certify that this correspondence is being facsimile transmitted to the attention of Examiner Victor S. CHANG, Group Art Unit 1771, at the USPTO, Fax No. 571-273-8300, on September 14, 2005.

By:  Printed: Lisa McDill

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: ALZA CORPORATION

Inventor(s): Jay Douglas Audett

Application No.: 10/646,539

Filed: August 22, 2003

Title: **MULTILAMINATE BACKING CONSTRUCTION**

Group Art Unit: 1771

Examiner: CHANG, Victor S.

ATTORNEY DOCKET NO.
ARC3254R1/ALZ5033

Submitted Via Fax
Attn: Examiner Victor S. CHANG
Group Art Unit: 1771
Fax No.: 571-273-8300

RESPONSE TO RESTRICTION REQUIREMENT

Dear Sir:

This paper is responsive to the restriction requirement mailed on 08/22/2005.

Applicant notes with appreciation the courtesy extended to Applicant's attorney, Philip Yip during the telephone conversation of September 12, 2005.

Atty. Docket No.: ARC3254R1/ALZ5033
Serial No.: 10/646,539

1

Response to Restriction
Requirement dated 08/22/2005


The Examiner imposed restriction requirements on 4 categories: I. Outer layer; II. Tie layer structure; III. Reservoir; and IV Release controlling means. The following are Applicant's elections.

- I. Outer layer: Since claim 3 is dependent on claim 2, claim 2 is generic to both claims. But if Applicant is forced to choose claim 2 and 3, Applicant will elect claim 3.
- II. Tie layer structure: As between a single layer and multilaminate, Applicant elects a multilaminate layer. However, Applicant submits that claims 1, 7, 8, 12 and 5-6 do not preclude having a multilaminate tie layer and therefore are generic. Further claim 6 is dependent on claim 5 and therefore claim 5 is generic to claim 6.
- III. Reservoir: Applicant submits that claims 1 and 13 do not mention reservoir and are therefore generic to the other claims. Applicant elects the claims with secondary reservoir containing an antagonist, which is seen in claim 8. However, claims 1, 13, 7, 12, 14-15 all refer to a secondary reservoir and are generic to claim 8.
- IV. Release controlling means: Among the claims having release controlling means, Applicant elects claims having a release controlling means in the outer layer controlling release of an antagonist, e.g., claims 9-11. There are claims that do not have an element of rate controlling means and therefore would be generic.

Applicant invites the Examiner to contact the undersigned at (650) 564-7054 to clarify any unresolved issues raised by this response.

Respectfully submitted,

Dated: September 14, 2005



Philip Yip
Registration No. 37,265
Attorney for Applicant
Customer No. 27777

ALZA Corporation
c/o Johnson & Johnson
One Johnson & Johnson Plaza, WH 3221
New Brunswick, NJ 08933
Phone: 650-564-7054
Fax: 650-564-2195

Atty. Docket No.: ARC3254R1/AJ.Z5033
Serial No.: 10/646,539

3

Response to Restriction
Requirement dated 08/22/2005